







1203  
3

Massachusetts  
78693  
SEM-TRAILER

HEIL

EMERGENCY  
SHUTOFF





HEIL

395

HEIGHT  
11' 9"

BAY STATE  
DEP5 24  
5 24 V K EPA 27  
5 24 P I  
5 24 U C

DOT 49 CFR 178.345

4

EMERGENCY SHUTOFF

1203  
3



You're in Good Hands with...  
**BAY STATE**  
 Truck & Trailer, Inc.  
 -508-336-9600  
 -527 WINTHROP ST. RTE. 44  
 -REHOBOTH, MA 02769

**DEP5 24**

**5 24 V K EPA 27**

**5 24 P I**

**5 24 U C**

THIS CARBO TANK HAS SUCCESSFULLY COMPLETED THE TEST AND REQUIREMENTS CONTAINED IN 180.407  
**DOT -Reg.# CT 1243**

TO WRITE ON THIS LABEL USE AN INDELIBLE PERMANENT INK MARKER.  
 USE AN INK MARKER THAT WILL NOT FADE & REMAINS LEGIBLE.

ANNUAL VEHICLE INSPECTION LABEL NO. **4055467**

COMPLETED MONTH: \_\_\_\_\_ YEAR: \_\_\_\_\_  
 A RECORD OF THIS VEHICLE'S ANNUAL VEHICLE INSPECTION REPORT IS MAINTAINED:  MOTOR VEHICLE  OTHER ENTRY

INSPECTOR NAME: \_\_\_\_\_  
 TITLE: \_\_\_\_\_  
 VEHICLE IDENTIFICATION NUMBER: \_\_\_\_\_

CERTIFICATION: THIS VEHICLE HAS PASSED AN INSPECTION IN ACCORDANCE WITH STATE BUILT THROUGHput IN  
 VEHICLE IDENTIFICATION: IF THE VEHICLE IS NOT READILY CLEARLY AND PERMANENTLY MARKED, CHECK ONE AND COMPLETE:  
 LICENSE REGISTRATION NUMBER  LICENSE REGISTRATION NUMBER  
 VEHICLE IDENTIFICATION NUMBER  OTHER \_\_\_\_\_

**massDOT**  
**4** VALID 1-90  
**OVERWEIGHT PERMIT**  
 PERMIT# 002500  
**2025**



































MFD BY: HEIL TRAILER INTERNATIONAL

DATE OF MFG

GVWR  LBS\*  
 KG\*

GAWR ALL AXLES  LBS  
 KG

DUAL TIRES  AT  PSI COLD  
RIMS   KPa COLD

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VIN:  TEST PRES.  PSIG

CAPACITY  GAL.  KPa

TYPE

WARRANTED UNDER CURRENT PUBLISHED WARRANTY  
\*BASED ON UNIFORM WEIGHT DISTRIBUTION



HEIL TRAILER INTERNATIONAL  
CTMV AND CT MFR



VIN [5HTAB4527X47K57977] DOT [406AL]  
MAWP [33] PSIG TEST P [5] PSIG ORIG. TEST DATE [4-04]  
DESIGN TEMP [200] °F TO [-40] °F  
TOTAL NOM CAP (GAL) [11500] MAX LADING DENSITY [7.5] LB/GAL\*  
CT NOM CAP FRT TO REAR (GAL) [3000] [1500] [2000] [1000] [1500] [2500]  
EXP SURF AREA FRT TO REAR (SQ FT) [265] [107] [146] [69] [107] [226]  
SHELL MTL [5454-H32] HEAD MTL [5454-0] WELD MTL [5356]  
MFD SHELL THK TOP ENDS [182] TOP CTR [194] SIDE [184] BOTTOM [250]  
MIN SHELL THK TOP ENDS [173] TOP CTR [185] SIDE [173] BOTTOM [232]  
MFD HEAD THK [204] MIN HEAD THK [187]

\*REGULATED PRODUCT FILLED TO NOMINAL CAPACITY

NAMEPLATE



HEIL TRAILER INTERNATIONAL  
CTMV AND CT MFR

VIN 5HTAB452/X/47K67977 NO. CT INCL'D 6

CTMV CERT DATE 4-04

CT MFR & CERT DATE 4-04

MAX WEIGHT OF LADING (LBS)\* 76900

MAX LOADING RATE 1300 GPM 5 PSIG MAX

MAX UNLOAD RATE 190 GPM -0.375 PSIG MAX



SPECIFICATION PLATE A DOVER COMPANY

\*BASED ON UNIFORM WEIGHT DISTRIBUTION